



Tsubota Laboratory, Inc. Related Publications

DRY EYE

- 1) Tsubota K, et al. New Perspectives on Dry Eye Definition and Diagnosis: A Consensus Report by the Asia Dry Eye Society. *The Ocular Surface*, 2017.
- 2) Tsubota K, et al. Spectacle side panels and moist inserts for the treatment of dry-eye patients. *Cornea*, 1994.
- 3) Onomura S, ..., Tsubota K. Effect of ultrasonic moisture glasses on dry eye signs and symptoms. *Translational Vision Science & Technology*, 2018.
- 4) Ogawa M, ..., Tsubota K. Evaluation of the Effect of Moist Chamber Spectacles in Patients With Dry Eye Exposed to Adverse Environment Conditions. *Eye & Contact Lens*, 2018.
- 5) Tanabe H, ..., Tsubota K. To evaluate the safety and efficacy of using a lid hygiene brush prototype to wipe the lid margins with lid hygiene shampoo in subjects with normal meibomian glands. *BMC Ophthalmology*, 2019.
- 6) Tanabe H, ..., Tsubota K. Effect of Eyelid Hygiene Detergent on Obstructive Meibomian Gland Dysfunction. *Journal of Oleo Science*, 2019.
- 7) Nichols JJ. Citation analysis of the dry eye literature. *The Ocular Surface*, 2013.
- 8) Schargus M, et al. The top 100 papers in dry eye – a bibliometric analysis. *The Ocular Surface*, 2017.